

产品用途

- 连锁店、办公室、医院、幼儿园、学校

产品特性

- 健康防蛀  
不易腐蚀、环保、无甲醛等有毒气体
- 安全优秀的防滑性能  
自重轻、弹性好、脚感舒适
- 使用寿命长  
经济耐污、易清理、施工简单

检测项目

(GB8624-2012) B1级

| 检测项目              | 检验方法            | 技术指标    | 检测结果  | 单项判定  |
|-------------------|-----------------|---------|-------|-------|
| 焰尖高度Fs, mm        | GB/T 8626-2007  | C≤150   | < 150 | B1级合格 |
| 临界热辐射通量 CHF kW/m² | GB/T 11785-2005 | C≥8.0   | 9.6   | B1级合格 |
| 产烟量, %min         | GB/T 11785-2005 | s1≤750  | 60    | 合格    |
| 产烟毒性, 级           | GB/T 20285-2006 | t0达到ZA₁ | ZA₁   | 合格    |


检测项目

(GB/T 11982.1-2015)

| 检测项目         | 标准值 | 检测结果 | 单项判定 |
|--------------|-----|------|------|
| 氯乙烯单体, mg/kg | ≤5  | <0.1 | 合格   |
| 可溶性铅, mg/m²  | ≤20 | 1.5  | 合格   |
| 可溶性镉, mg/m²  | ≤20 | 0.75 | 合格   |
| 挥发物限量, g/m²  | ≤40 | 7.2  | 合格   |

以上值有可能在没有通知的情况下，会因质量提升而改变

产品结构





健康环保  
Healthy and Eco-friendly



UV处理  
UV treatment



尺寸稳定  
Clothes stability

Size:2.2mmx2.0mx20m  
Wearlayer:0.5mm




YKL-168-2020A-02




YKL-168-2020A-01




YKL-168-2020A-03




YKL-168-2020A-07



YKL-168-2020A-08



YKL-168-2020A-05



YKL-168-2020A-06



YKL-168-2020A-04



超耐磨  
Abrasion resistance




吸音  
Insulation



易清洁  
Easy cleaning


Size:2.2mmx2.0mx20m  
Wearlayer:0.5mm



YKL-168-2020B-06



YKL-168-2020B-01



YKL-168-2020B-07



YKL-168-2020B-02



YKL-168-2020B-08



YKL-168-2020B-03




YKL-168-2020B-04


Size:2.2mmx2.0mx20m  
Wearlayer:0.5mm




YKL-168-2020B-05



YKL-168-2024A-01




YKL-168-2024A-05



YKL-168-2024A-02



YKL-168-2024A-06




YKL-168-2024A-04




YKL-168-2024A-07



YKL-168-2024A-03




YKL-168-2024A-08




YKL-168-2024A-12



YKL-168-2024A-09




YKL-168-2024A-13



YKL-168-2024A-10



YKL-168-2024A-14



YKL-168-2024A-11



超耐磨  
Abrasion resistance




吸音  
Insulation



易清洁  
Easy cleaning


Size:2.0mmx2.0mx20m  
Wearlayer:0.4mm




YKL-168-2024B-01



YKL-168-2024B-05




YKL-168-2024B-02



YKL-168-2024B-06



YKL-168-2024B-04




YKL-168-2024B-07



YKL-168-2024B-03

Size:2.0mmx2.0mx20m  
Wearlayer:0.4mm



YKL-168-2024B-08



YKL-168-2024B-09



YKL-168-2024B-10



YKL-168-2024B-13




YKL-168-2024B-11



YKL-168-2024B-12

Size:2.0mmx2.0mx20m

Thickness of wear layer: 0.5mm



YKL-168-7035

Size:2.0mmx2.0mx20m

Thickness of wear layer: 0.5mm



YKL-168-7033



YKL-168-7031



YKL-168-7036



YKL-168-7030



YKL-168-7032

Size:2.0mmx2.0mx20m  
Thickness of wear layer: 0.5mm



YKL-168-2307



YKL-168-2306



YKL-168-2305



YKL-168-2308




YKL-168-2309



YKL-168-2303



YKL-168-2302



YKL-168-2301

Size:2.0mmx2.0mx20m  
Thickness of wear layer: 0.5mm



YKL-168-1905




YKL-168-1908



YKL-168-1903



YKL-168-1904



YKL-168-1901



YKL-168-1902



YKL-168-1906



YKL-168-1907



Size:2.0mmx2.0mx20m  
Thickness of wear layer: 0.5mm



YKL-168-2610



YKL-168-2609




YKL-168-2603



YKL-168-2604



YKL-168-2601



YKL-168-2602



YKL-168-2605



YKL-168-2607



YKL-168-2606



YKL-168-2608

Size:2.0mmx2.0m

Thickness of wear layer: 0.5mm



YKL-168-6615



YKL-168-6616




YKL-168-6609



YKL-168-6605



YKL-168-6601



YKL-168-6606




YKL-168-6618



YKL-168-6608

Size:2.0mmx2.0m  
Thickness of wear layer: 0.5mm



YKL-168-5501



YKL-168-5509



YKL-168-5514



YKL-168-5516



YKL-168-5513



YKL-168-5504



YKL-168-5517



YKL-168-5518

Size: 2.0mmx2.0mmx20m

Thickness of wear layer: 0.5mm



YKL-168-2006



YKL-168-2007



YKL-168-2005



YKL-168-2001




YKL-168-2002



YKL-168-2003



YKL-168-2004



YKL-168-2008




YKL-168-2009




YKL-168-2010


Size:2.0mmx2.0mx20m  
Thickness of wear layer: 0.5mm



YKL-168-2901



YKL-168-2903



YKL-168-2902



YKL-168-2904



YKL-168-2907



YKL-168-2908



YKL-168-2910



YKL-168-2906



YKL-168-2905




YKL-168-2909



全新料 Virgin material


HETEROGENEOUS COMPACT VINYL FLOORCOVERING

Dimension: 2.0mmx2mx20m  
wear-resistant: 0.35mm



Commercial composite elastic flooring has many excellent properties such as high wear resistance, clean antibacterial, anti pollution, health and environmental protection, and easy cleaning and maintenance.

商用复合弹性地材具备高度耐磨、洁净抗菌、抗污染、健康环保、易清洁保养等众多优良性能。






全新料 Virgin material

HETEROGENEOUS COMPACT VINYL FLOORCOVERING

Dimension: 2.0mmx2mx20m  
wear-resistant: 0.35mm



YKL-168-881140



YKL-168-880440



YKL-168-880640



YKL-168-505140



YKL-168-505040



YKL-168-505740



YKL-168-505240



YKL-168-505840



全新料 Virgin material

HETEROGENEOUS COMPACT VINYL FLOORCOVERING

Dimension: 2.0mmx2mx20m  
wear-resistant: 0.35mm

A good product is  
a visible **good**  
product!

好的产品,是看得见的好产品!



YKL-168-220140



YKL-168-220240




YZM-168-505140



YKL-168-911140



YKL-168-910840



YKL-168-910640



YKL-168-911040



全新料 Virgin material

HETEROGENEOUS COMPACT VINYL FLOORCOVERING

Dimension: 2.0mmx2mx20m  
wear-resistant: 0.35mm



YKL-168-203557



YKL-168-203562




YKL-168-203560



YKL-168-203558



YKL-168-203555



YKL-168-203556



YKL-168-203559





全新料 Virgin material

HETEROGENEOUS COMPACT VINYL FLOORCOVERING


Dimension: 2.0mmx2mx20m  
wear-resistant: 0.35mm




YKL-168-11340



YKL-168-10740




YKL-168-10840




YKL-168-11040



YKL-168-11040



YKL-168-10940



YKL-168-11940



全新料 Virgin material

HETEROGENEOUS COMPACT VINYL FLOORCOVERING

Dimension: 2.0mmx2mx20m  
wear-resistant: 0.35mm



YKL-168-109540



YKL-168-109640



YKL-168-109740



YKL-168-109840